



**Green  
Choice**  
by  WIPAK

**PE  
BASED**



**PE BASED  
RECYCLABLE  
PACKAGING SOLUTIONS**

Our portfolio of flexible packaging solutions offers a wide range of possibilities. Discover our PE based recyclable solutions!



## Solutions for lidding, flow pack and pouch applications

# BIAXEN ECO

### Facts

- Certified recyclable\*
- 90–95% PE based
- Thickness range: 55–125 µm
- Different oxygen barrier levels available,
  - Medium barrier: 15 cm<sup>3</sup>/sqm 24h bar (23°C/50% r.h.)
  - High barrier: ≤ 3,2 cm<sup>3</sup>/sqm 24h bar (23°C/50% r.h.)
- Transparent or white
- Peelable for easy opening or tight seal with early sealing initiation temperature
- Printable in flexo and rotogravure printing
- Suitable for applications with zipper



Our BIAXEN ECO product portfolio for pouch applications includes solutions for all kinds of filling volumes. Our pouch experts will be happy to advise you.



# NFO TOP ECO

### Facts

- Certified recyclable\*
- 90–95% PE based
- Thickness range: 60–150 µm
- High oxygen barrier:  
≤ 2,1 cm<sup>3</sup>/sqm 24h bar (23°C/50% r.h.)
- Transparent
- Adhesive free solutions
- Tight sealing
- Flexographic surface printing possible



The integration of ISCC Plus certified renewable feedstock or materials from advanced recycling is possible through a mass balancing approach. We are happy to advise, if you would like more information on the topic.

\*Regional differences in collection and recycling infrastructures to be considered



Thermoformable bottom films, the complementary solution for our lidding films

## NICE ECO

### Facts

- Certified recyclable\*
- 90–95% PE based
- Thickness range: 130–500  $\mu\text{m}$
- High oxygen barrier:  $\leq 1,5 \text{ cm}^3/\text{sqm}$  24h bar (23°C/50% r.h.)
- Suitable for pasteurisation
- Transparent, with excellent optical properties
- Adhesive-free

## NFO BTM ECO

### Facts

- Certified recyclable\*
- 90–95% PE based
- Thickness range: 60–500  $\mu\text{m}$
- High oxygen barrier:  $\leq 2,1 \text{ cm}^3/\text{sqm}$  24h bar (23°C/50% r.h.)
- Suitable for pasteurisation
- Transparent or white colored (on request)
- Adhesive-free



Our thermoformable films are the perfect fit for all kind of shapes and sizes, for example cheese blocks (rounded or square shape), sausages and other meat or sliced products.





# Green Choice

by  WIPAK

GreenChoice by Wipak is our promise to you. It brings our values and our pledge for a sustainable packaging future to life through cutting edge innovation. Your decision to adopt the GreenChoice by Wipak product range is the next step in implementing your strategic plans and reaching your sustainability targets across your entire value chain.

Let's make the next step and take responsibility for a better future together.



**REnewable**



**REcyclable**



**REcycled**

If you want to find out more about Wipak and our Sustainable Packaging Solutions, please Contact us: [info@wipak.com](mailto:info@wipak.com)  
Visit our website: [www.wipak.com/green-choice](http://www.wipak.com/green-choice)



Follow us on [LinkedIn](#)

